

Docket No.: K-0272

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Ki Woong KOO

Serial No: 09/847,321

Filed: May 3, 2001

Confirmation No.: 5894

Group Art Unit: 2666

Examiner: Shick C. Hom

Customer No.: 34610

For: DEVICE FOR SELECTING NORMAL CIRCUIT IN COMMUNICATION SYSTEM

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

No additional fee is required.
 Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	18	20	0	x \$50.00 =	\$0.00
Independent Claims	6	3	3	x \$200.00=	\$600.00
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$600.00

Please charge my Deposit Account No. 16-0607 in the amount of \$_____. An additional copy of this transmittal sheet is submitted herewith.

A check in the amount of \$ 600.00 (Check #4791) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Bilodeau

Daniel Y.J. Kim
Registration No. 36,186
David A. Bilodeau
Registration No. 42,325

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK/DAB:lew
Date: March 15, 2005

Docket No.:K-0272



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 5894

Ki Woong KOO

Group Art Unit: 2666

Serial No.: 09/847,321

Examiner: Shick C. Hom

Filed: May 3, 2001

Customer No.: 34610

For: DEVICE FOR SELECTING NORMAL CIRCUIT IN COMMUNICATION SYSTEM

AMENDMENT

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

In response to the Office Action of December 16, 2004, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 21 of this paper.